




Egg Production Systems by **Gilac**



## FICHE TECHNIQUE

### INTERCALAIRE

1200 X 900 X 50 mm



#### POIDS

3,840 kg  
+/- 0,015 kg



#### DIMENSIONS

1200 X 900  
X 50 mm  
+/- 2 mm

### MATIÈRE



PP ALIMENTAIRE

ExxonMobil™  
PP7505KNE3

#### Propriétés techniques & certificats alimentaires

Informations complémentaires  
pages suivantes

### CONDITIONNEMENT



QUANTITÉ PAR PALETTE  
70

PALETTE BOIS 900 X 1200

COIFFE POUR PALETTE

FILM

HAUTEUR 2,29 m

### PERSONNALISATION



GRAVURE

sur demande

COULEUR

sur demande




Egg Production Systems by **Gilac**

# PRODUCT DATASHEET

## DIVIDER

1200 X 900 X 50 mm



**WEIGHT**  
3.840 kg  
+/- 0.015 kg

**DIMENSIONS**  
1200 X 900  
X 50 mm  
+/- 2 mm

### MATERIAL



**FOOD-GRADE PP**

**ExxonMobil™  
PP7505KNE3**

### Technical specifications & food certificates

*Additional information on the next pages*

### PACKING UNIT



**QUANTITY PER PALLET**  
**70**

WOODEN PALLET 900 X 1200

PALLET COVER

PLASTIC FILM

HEIGHT 2.29 m

### CUSTOMISATION



ENGRAVE

on demand

COLOUR

on demand

# ExxonMobil™ PP7505KNE3

## Polypropylene Impact Copolymer

### Product Description

A medium to high impact copolymer designed for injection molded large consumer and industrial parts requiring high melt flow rate.

### General

Availability <sup>1</sup>	<ul style="list-style-type: none"> <li>Africa &amp; Middle East</li> <li>Europe</li> </ul>	<ul style="list-style-type: none"> <li>Latin America</li> <li>North America</li> </ul>	
Features	<ul style="list-style-type: none"> <li>Balanced Stiffness/Toughness</li> <li>Fast Molding Cycle</li> <li>Good Colorability</li> </ul>	<ul style="list-style-type: none"> <li>Good Mold Release</li> <li>Good Processability</li> <li>Good Surface Finish</li> </ul>	<ul style="list-style-type: none"> <li>Good Thermal Stability</li> <li>High Flow</li> <li>Medium Impact Resistance</li> </ul>
Uses	<ul style="list-style-type: none"> <li>Automotive Applications</li> <li>Consumer Applications</li> </ul>	<ul style="list-style-type: none"> <li>Containers</li> <li>Household Goods</li> </ul>	<ul style="list-style-type: none"> <li>Tool/Tote Box</li> </ul>
Appearance	<ul style="list-style-type: none"> <li>Natural Color</li> </ul>		
Form(s)	<ul style="list-style-type: none"> <li>Pellets</li> </ul>		
Processing Method	<ul style="list-style-type: none"> <li>Injection Molding</li> </ul>		
Revision Date	<ul style="list-style-type: none"> <li>04/01/2020</li> </ul>		

Physical	Typical Value (English)	Typical Value (SI)	Test Based On
Melt Mass-Flow Rate (MFR) (230°C/2.16 kg)	50 g/10 min	50 g/10 min	ASTM D1238
Density	0.900 g/cm <sup>3</sup>	0.900 g/cm <sup>3</sup>	ExxonMobil Method

Mechanical	Typical Value (English)	Typical Value (SI)	Test Based On
Tensile Strength at Yield 2.0 in/min (51 mm/min)	2720 psi	18.7 MPa	ASTM D638
Elongation at Yield (2.0 in/min (51 mm/min))	4.1 %	4.1 %	ASTM D638
Flexural Modulus - 1% Secant 0.051 in/min (1.3 mm/min)	163000 psi	1120 MPa	ASTM D790A
0.51 in/min (13 mm/min)	185000 psi	1280 MPa	ASTM D790B

Impact	Typical Value (English)	Typical Value (SI)	Test Based On
Notched Izod Impact 0°F (-18°C)	0.90 ft·lb/in	48 J/m	ASTM D256A
73°F (23°C)	1.9 ft·lb/in	100 J/m	
Gardner Impact -20°F (-29°C), 0.125 in (3.18 mm), Geometry GC	217 in·lb	24.5 J	ASTM D5420

Thermal	Typical Value (English)	Typical Value (SI)	Test Based On
Deflection Temperature Under Load (DTUL) at 66psi - Unannealed	206 °F	96.5 °C	ExxonMobil Method

Hardness	Typical Value (English)	Typical Value (SI)	Test Based On
Rockwell Hardness	80	80	ASTM D785

### Legal Statement

This product, including the product name, shall not be used or tested in any medical application without the prior written acknowledgement of ExxonMobil Chemical as to the intended use. For detailed Product Stewardship information, please contact Customer Service.

Contact your ExxonMobil Chemical Customer Service Representative for potential food contact application compliance (e.g. FDA, EU, HPFB).

### Notes

Typical properties: these are not to be construed as specifications.

<sup>1</sup> Product may not be available in one or more countries in the identified Availability regions. Please contact your Sales Representative for complete Country Availability.

ExxonMobil™ PP7505KNE3  
Polypropylene Impact Copolymer

For additional technical, sales and order assistance: [www.exxonmobilchemical.com/ContactUs](http://www.exxonmobilchemical.com/ContactUs)

©2023 ExxonMobil. ExxonMobil, the ExxonMobil logo, the interlocking "X" device and other product or service names used herein are trademarks of ExxonMobil, unless indicated otherwise. This document may not be distributed, displayed, copied or altered without ExxonMobil's prior written authorization. To the extent ExxonMobil authorizes distributing, displaying and/or copying of this document, the user may do so only if the document is unaltered and complete, including all of its headers, footers, disclaimers and other information. You may not copy this document to or reproduce it in whole or in part on a website. ExxonMobil does not guarantee the typical (or other) values. Any data included herein is based upon analysis of representative samples and not the actual product shipped. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee, expressly or impliedly, the merchantability, fitness for a particular purpose, freedom from patent infringement, suitability, accuracy, reliability, or completeness of this information or the products, materials or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage or injury directly or indirectly suffered or incurred as a result of or related to anyone using or relying on any of the information in this document. This document is not an endorsement of any non-ExxonMobil product or process, and we expressly disclaim any contrary implication. The terms "we," "our," "ExxonMobil Product Solutions" and "ExxonMobil" are each used for convenience, and may include any one or more of ExxonMobil Product Solutions Company, Exxon Mobil Corporation, or any affiliate either directly or indirectly stewarded.

[exxonmobilchemical.com](http://exxonmobilchemical.com)

FOURNIER PLASTICS GROUP SL.  
Nathalie Carrette  
CALLE CARRERA DE SAN JERÓNIMO Nº 15,2ª PLANTA  
28014  
Madrid  
Spain  
Email Address: ncarrette@fournierpolymers.com

Issue Date: 16 Apr 2025

Dear Sir / Madam:

In response to your request, please find enclosed the product regulatory summary for requested product.

As regulations are subject to change, customers are encouraged to download the latest regulatory summary from customer portal: OneConnect or contact customer service for the latest copy.

If you have any questions or need additional information please contact your ExxonMobil sales representative or Customer Account Specialist.

To find specific statements or regulatory information in Product Regulatory Summary(PRS), you can press *Ctrl+F* to search for key words or phrases within the PDF file.

ExxonMobil™ PP7505KNE3 AMERICAS  
Reference ID: PRS0000267614\_C

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

## Category: Food Regulations & Pharmacopoeia

### ANVISA FOOD CONTACT REGULATIONS

With regard to the compliance status of the product referenced above with the resolution(s) identified below the following can be declared:

The above product(s) complies with relevant requirements of Anvisa - Resolution RDC no. 91/2001 and its amendments concerning "General Criteria and Classification of Materials for Packaging and Equipment in Contact with Food".

The monomer(s), other authorized polymers and starting materials intentionally used in the above polymer grade are listed in the Annex and/or are authorized in accordance with the requirements of Anvisa - Resolution RDC no. 56/12 for plastic materials intended for the manufacture of food-contact packages and equipment.

The additive(s) intentionally used in the above polymer grade are listed in the Annex or are authorized in accordance with the requirements of Anvisa - Resolution RDC no. 326/19 on the positive list of additives and polymeric coatings for manufacturing of plastic materials intended to come into contact with food.

This product is produced under conditions of good manufacturing practice and is of a purity suitable for its intended use in food contact applications in accordance with the Anvisa regulatory citations identified.

The Resolution RDC no. 589/21 has no impact to compliance statement.

This note contains information relative to the presence of additives subject to a restriction according to Anvisa - Resolution RDC no. 326/19 as described in this statement.

Additive : N,N'-bis (2-hydroxyethyl) alkyl (C8-C18)amine (includes: N,N-bis (2-hydroxyethyl) alkyl (C13-C15)amine CAS no : (DH) Max. conc\*: <100 ppm Restriction : SMLT = 1.2 mg/kg (expressed as tertiary amine). The limit refers to the sum of the substances of number MCA 19, 20.

Additive : 1,3,5-tris(3,5 di-tert-butyl-4-hydroxybenzyl)- 1,3,5-triazine-2,4,6-(1H,3H,5H) trione CAS no : 27676-62-6 Max. conc\*: 700 ppm Restriction : SML = 5 mg/kg food

Additive: Phosphorous acid ester with cyclo neopentyl-tetrayl- bis(2,4-di-tertbutylphenyl)=(Bis(2,4-di-tert-butylphenyl) pentaerythritoldiphosphate)) CAS no : 26741-53-7 Max. conc\* : 450 ppm Restriction : SML = 0.6 mg/kg food

\* "Max. conc." refers to the maximum amount of stated additive in the above product(s). This information is provided for general guidance / informational purposes only and ExxonMobil provides no guarantees or warranties with respect to this information and disclaims responsibility or liability for use by any third party of this information.

The manufacturer of food-contact materials and articles - made from or containing this product grade - must ensure that the finished materials or articles meet the general regulatory requirements and that they do not bring about an unacceptable change in the composition of the foodstuffs or a deterioration in the organoleptic characteristics thereof and do not release constituents in foodstuffs in quantities that can endanger human health.

Furthermore, the manufacturer of food-contact materials and articles that contain this product as a component must also ascertain that the finished materials or articles meet any migration limits, composition requirements and/or other restrictions in use that may be applicable for the specific finished material or article and for its specific intended use in some or all countries.

In addition, the finished food-contact material or article must be technically suitable for the intended use.

### CANADA FOOD CONTACT REGULATIONS (HPFB)

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

A "Letter of No Objection" has been received from Health Canada for this product. This product should be included in the "Lists of acceptable polymers for use in food packaging applications" available, by request, from Health Canada on their website. Please note that Health Canada updates the list periodically and recently added polymers may not yet be included. In addition, polyethylene grades granted a LONO before November 1, 2003 and other polymer grades granted a LONO before January 1, 2004 may not be included in the list. If the polymer grade is not included in the list, please reach out to your sales representative to request an update to Health Canada.

### EUROPEAN FOOD CONTACT REGULATIONS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

This product is not supported for use in food contact applications in Europe.

## MERCOSUR FOOD CONTACT RESOLUTIONS

With regard to the compliance status of the product referenced above with the resolution(s) identified below the following can be declared:

The above product(s) complies with relevant requirements of Mercosur/GMC/Resolution 03/92 and its amendments concerning "Guidelines for Food Packaging and Equipment in Contact with Food", as set forth in Annex I.

The monomer(s) and other authorized polymers and starting materials intentionally used in the above polymer grade are listed in the Annex or are authorized in accordance with the requirements of Mercosur/GMC/Resolution No. 02/12 for plastic materials intended for the manufacture of food-contact packages and equipment. As such, the starting materials comply with Mercosur/GMC/Resolution 56/92.

This product is produced under conditions of good manufacturing practice and is of a purity suitable for its intended use in food contact applications in accordance with the Mercosur regulatory citations identified. Mercosur/GMC/Resolution No. 19/21 has no impact to this compliance statement.

The additive(s) intentionally used in the above polymer grade are listed in the Annex or are authorized in accordance with the requirements of Mercosur/GMC/Resolution No. 39/19 for plastic materials intended for the manufacture of food-contact packages and equipment.

This note contains information relative to the presence of additives subject to a restriction according to Mercosur/GMC/Resolution 39/19, as described in this statement.

Additive : N,N'-bis (2-hydroxyethyl) alkyl (C8-C18)amine (includes: N,N-bis (2-hydroxyethyl) alkyl (C13-C15)amine CAS no : (DH) Max. conc\*: <100 ppm Restriction : SMLT = 1.2 mg/kg (expressed as tertiary amine). The limit refers to the sum of the substances of number MCA 19, 20.

Additive : 1,3,5-tris(3,5 di-tert-butyl-4-hydroxybenzyl)- 1,3,5-triazine-2,4,6-(1H,3H,5H) trione CAS no : 27676-62-6 Max. conc\*: 700 ppm Restriction : SML = 5 mg/kg food

Additive: Phosphorous acid ester with cyclo neopentyl-tetrayl- bis(2,4-di-tertbutylphenyl)(=Bis(2,4-di-tert-butylphenyl) pentaerythritoldiphosphate)) CAS no : 26741-53-7 Max. conc\* : 450 ppm Restriction : SML = 0.6 mg/kg food

\* "Max. conc." refers to the maximum amount of stated additive in the above product(s). This information is provided for general guidance / informational purposes only and ExxonMobil Chemical provides no guarantees or warranties with respect to this information and disclaims responsibility or liability for use by any third party of this information.

The manufacturer of food-contact materials and articles - made from or containing this product grade - must ensure that the finished materials or articles meet the general regulatory requirements and that they do not bring about an unacceptable change in the composition of the foodstuffs or a deterioration in the organoleptic characteristics thereof and do not release constituents in foodstuffs in quantities that can endanger human health.

Furthermore, the manufacturer of food-contact materials and articles that contain this product as a component must also ascertain that the finished materials or articles meet any migration limits, composition requirements and/or other restrictions in use that may be applicable for the specific finished material or article and for its specific intended use in some or all countries.

In addition, the finished food-contact material or article must be technically suitable for the intended use.

## UNITED STATES FOOD REGULATIONS DIRECT FOOD ADDITIVE (FDA)

Direct food additive claims and/or Secondary Direct food additive (with a technical effect) claims are currently not available for the product grade above.

## UNITED STATES FOOD REGULATIONS INDIRECT FOOD ADDITIVE (FDA)

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product complies with FDA regulation 21 CFR 177.1520 (Olefin polymers), paragraph (c)3.1a, and may be used as articles or components of articles intended for use in contact with all food types identified in Table 1 of 21 CFR 176.170(c), except for articles used for packing or holding food during cooking\*.

\* While FDA's Food Additive Regulations do not define which conditions of use in 21 CFR 176.170(c) correspond to the phrase "packing or holding food during cooking", FDA interprets the reference in 21 CFR 177.1520 to "packing or holding food during cooking" to correspond to Conditions of Use A and B. As such, this product may be used under Conditions of Use C through H as described in Table 2 of 21 CFR 176.170(c)."

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

This product is produced under conditions of good manufacturing practice as required by 21 C.F.R. § 174.5(a) and is of a purity suitable for its intended use in food contact applications in accordance with the regulatory citations identified above.

The manufacturer of an indirect food additive, food contact substance, or article containing this product has the responsibility to ensure compliance with all applicable FDA laws and regulations to ensure that any finished food contact article is of a purity suitable for its intended use.

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

## Category: Other Regulations

### ALLERGENS IN FOOD

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

With regards to the presence of food allergens:

EUROPE:

The following substances or products causing allergies or intolerances (as listed in annex II of regulation (EU) No 1169/2011 on the provision of food information to consumers), amended up to REGULATION (EU) 2024/2512 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL:

1. Cereals containing gluten, namely: wheat (such as spelt and khorasan wheat), rye, barley, oats or their hybridised strains, and products thereof; 2. Crustaceans and products thereof; 3. Eggs and products thereof; 4. Fish and products thereof; 5. Peanuts and products thereof; 6. Soybeans and products thereof; 7. Milk and products thereof (including lactose); 8. Nuts, namely: almonds (*Amygdalus communis* L.), hazelnuts (*Corylus avellana*), walnuts (*Juglans regia*), cashews (*Anacardium occidentale*), pecan nuts (*Carya illinoensis* (Wangenh.) K. Koch), Brazil nuts (*Bertholletia excelsa*), pistachio nuts (*Pistacia vera*), macadamia or Queensland nuts (*Macadamia ternifolia*), and products thereof, except for nuts used for making alcoholic distillates including ethyl alcohol of agricultural origin; 9. Celery and products thereof; 10. Mustard and products thereof, except: behenic acid with a minimum of 85 % of purity and obtained after two distillation steps used in the manufacturing of the emulsifiers E 470a, E 471 and E 477 11. Sesame seeds and products thereof; 12. Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre in terms of the total SO<sub>2</sub> which are to be calculated for products as proposed ready for consumption or as reconstituted according to the instructions of the manufacturers; 13. Lupin and products thereof; 14. Molluscs and products thereof. are not intentionally used by ExxonMobil in this product.

USA:

The following food allergens (as referred to in the Allergen Labeling and Consumer Protection Act of 2004. 21 note- FALCPA))

(1) Milk, egg, fish (e.g., bass, flounder, or cod), crustacean shellfish (e.g., crab, lobster, or shrimp), tree nuts (e.g., almonds, pecans, or walnuts), wheat containing gluten-, peanuts, and soybeans. (2) Food ingredient that contains protein derived from a food specified in paragraph above are not intentionally used by ExxonMobil in this product.

Canada:

As in effect 4 August 2012, food allergen means any protein from any of the following foods, or any modified protein that includes any protein fraction derived from any of the following foods: [B.01.010.1(1), FDR].

- almonds, Brazil nuts, cashews, hazelnuts, macadamia nuts, pecans, pine nuts, pistachios or walnuts;
- peanuts;
- sesame seeds;
- wheat or triticale;
- eggs;
- milk;
- soybeans;
- crustaceans
- shellfish;
- fish; or
- mustard seeds;
- gluten protein, modified gluten protein, or gluten protein fractions from barley, oats, rye, triticale or wheat (or a hybridized strain of any of these cereals) are not intentionally used by ExxonMobil in this product.

Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

### ANIMAL DERIVED SUBSTANCES

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Additives of animal origin are not intentionally added by ExxonMobil in the final production stage of this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally added by ExxonMobil in the final production stage of this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

## **CALIFORNIA PROP 65 - POLYMERS**

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

Although this product is not routinely tested for Proposition 65 listed substances, the following substances may be present as a result of the specific characteristics of the raw materials and/or the manufacturing process.

Trace levels of dibutyl phthalate (CAS no. 84-74-2) may be present

Trace levels of ethylbenzene (CAS no. 100-41-4) may be present

Trace levels of n-hexane (CAS no. 110-54-3) may be present

Trace levels of toluene (CAS no. 108-88-3) may be present

## **CANADIAN EPA**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999 (CEPA 1999) includes substances that are considered to be toxic as defined in Section 64 of the Act. This product does not contain any Schedule 1 substances.

## **CONEG/WASTE PACKAGING**

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product is in compliance with the relevant heavy metals requirements of the following regulations:

- European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste ("Packaging and Packaging Waste Directive"), as amended up to Commission Directive 2018/852 of 30 May 2018.

- CONEG (Coalition of Northeastern Governors) Model Legislation.

The sum of the concentrations of the following heavy metals,

- mercury, lead, cadmium and hexavalent chromium, in this product does not exceed 100 parts per million by weight.

Trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **ENDOCRINE DISRUPTORS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

There is currently no authoritative or regulatory list of endocrine disruptors. Therefore, we cannot provide definitive statements regarding their presence or absence in our products at this time. You can contact your ExxonMobil Customer Service Professional about specific substances of concern.

## **HALAL STATUS**

This product is not halal certified.

## **MICROPLASTICS**

With regard to the compliance of the product referenced above with the regulation(s) identified below, the following can be declared:

With reference to Regulation (EU) 2023/2055 amending Annex XVII to REACH (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) as regards synthetic polymer

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

microparticles ("MP Restriction"), this product meets the definition of a synthetic polymer microparticle.

This product is intended for use at industrial sites only and is therefore exempted from the restriction in paragraph 1 of the MP Restriction on the basis of paragraph 4 (a) of the MP Restriction if used accordingly.

## **MINERAL OIL**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

The above product contains mineral oil. The constituents of the mineral oil are primarily saturated hydrocarbons.

## **NATIONAL CHEMICAL INVENTORY**

United States of America: All substance(s) in this product are listed on the Toxic Substances Control Act (TSCA) - Active Inventory or are exempt.

Canada: All substance(s) in this product are listed on the Domestic Substances List (DSL) or are exempt.

Australia: All substance(s) in this product are listed on the Australian Inventory of Industrial Chemicals (AIIC) or are exempt.

Japan: All substance(s) in this product are listed on the Japanese inventory of Existing and New Chemical Substances (ENCS) or are exempt.

Korea: All substance(s) in this product are listed on the Korean Existing Chemicals Inventory (KECI) or are exempt.

China: All substance(s) in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or are exempt.

Philippines: All substance(s) in this product are listed on the Philippine Inventory of Chemicals and Chemical Substances (PICCS) or are exempt.

New Zealand: All substance(s) in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or are exempt.

Taiwan: All substance(s) in this product are listed on the Taiwan Chemical Substances Inventory (TCSI) or are exempt.

## **PERSISTENT ORGANIC POLLUTANTS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

EU Regulation 2019/1021/EU on persistent organic pollutants as listed in the Stockholm Convention - last amended October 2024) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **PESTICIDES**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

The above product is a polymer not intended for use as a pesticide.

The above product is not listed in the Annex "Active Substances Approved For Use In Plant Protection Products" (i.e. fungicides, insecticides, plant growth regulators, rooting hormones, preserving plant products, herbicides, weed killers ...) of the Commission Regulation No 540/2011 implementing Regulation (EC) No 1107/2009 as regards the list of approved active substances - Amendments - Commission implementing Regulation (EU) 2018/1915 of 6 December 2018

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

and

- the U.S.EPA/OPP's PPIS databases (pesticide and ingredients) available from the NPIRS National Pesticide Information Retrieval System.

## **PNA / PAH**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Polynuclear aromatic hydrocarbons (PNAs/PAHs) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of PNAs/PAHs include, but are not limited to:

- Benz(a)anthracene,
- Benzo(a)pyrene,
- Benzo(b)fluoranthene,
- Benzo(e)pyrene,
- Benzo(g,h,i)perylene,
- Dibenz(a,h)anthracene,
- Chrysene,
- Indeno(1,2,3-cd)pyrene, - Pyrene, and - Anthracene

## **REACH CANDIDATE LIST**

With regard to the compliance of the product referenced above with the regulation(s) identified below, the following can be declared:

On January 21st, 2025 the European Chemicals Agency (ECHA) added 5 new substances to the Candidate List of Substances of Very High Concern for eventual inclusion on the Annex XIV List of Substances subject to Authorization. This brings the total number of entries (some entries are groups of chemicals) of Very High Concern (SVHC) on the Candidate List to 247.

Following ECHA's publication of the inclusion of an SVHC in the Candidate List according to Article 59(1) of REACH, additional information requirements may apply. They are based on Article 31 (Safety Data Sheets) and on Article 33 (Substances in articles) of REACH.

According to our records, the above ExxonMobil product when supplied by ExxonMobil in EU Member States and EEA countries DOES NOT contain a SVHC that triggers any additional action.

Any SVHC identified as being present in ExxonMobil products will be identified in the relevant sections of the EU Safety Data Sheet. The above ExxonMobil product does not contain SVHCs at levels triggering obligations under Article 31 of REACH.

Based upon the above and the information currently available, we have no evidence that the above product supplied by ExxonMobil within the EU Member States and EEA countries contains any SVHCs at levels which would require action under Articles 31 or 33 of REACH.

The information contained above is provided in good faith. No representations or warranties are made as to its completeness or accuracy. ExxonMobil will not be liable for any damages resulting from the use of or reliance on the information.

## **REACH REG - OR**

As part of ExxonMobil's REACH communication plans, a website has been developed to assist customers in finding answers to most typical REACH-related questions including but not limited to registration status, Substances of Very High Concern (SVHC), uses, ... etc. Link to the ExxonMobil REACH web:

<https://corporate.exxonmobil.com/locations/european-region/reach>

The information refers only to ExxonMobil products which are purchased by customers directly from an ExxonMobil affiliate in the European Economic Area. ExxonMobil products imported into the European Economic Area by customers either directly or as part of a mixture are not covered by this data or information. Companies based outside of EU/EEA(\*), who intend to export ExxonMobil products purchased outside EU/EEA (\*) should consider the REACH obligations including but not limited to REACH registrations.

A non-EU manufacturer can choose to appoint an Only Representative to relieve importers of the obligation to register. ExxonMobil does not routinely provide such service for this product. For more information about Only Representative support, please contact your normal ExxonMobil sales rep.

ExxonMobil continues to strongly recommend that customers should specifically assess their legal responsibilities under REACH when importing into the European Economic Area.

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

## REACH-1907/2006 ANNEX XVII

With reference to Annex XVII of the REACH Regulation (EC) 1907/2006, "Restrictions on the manufacture, Placing on the Market and Use of Certain Dangerous Substances, Mixtures and Articles", the following can be declared:

This product does not contain a substance or substances identified in Annex XVII in reportable quantities. ExxonMobil expressly disclaims any and all liability of direct, indirect or consequential nature for any loss, damage, or injury suffered or incurred, directly and indirectly, as to any results obtained or arising from any use of the substance in reliance on this technical information, unless this information is directly based upon gross negligence, willful misconduct or - in case of bodily injury - simple negligence of ExxonMobil.

## ROHS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product is in compliance with the relevant heavy metals, flame retardants and phthalates requirements of the following regulation:

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE), RoHS II – amended by Directive (EU) 2017/2102 of the European Parliament and of the Council of 15 November 2017 and including amendment of Annex II for restricted substances up to Commission delegated Directive (EU) 2015/863 of 31 March 2015 and amendments of Annex III and IV for exemptions up to Directive (EU) 2019/1846 of 5 November 2019.

The concentrations of the following

- heavy metals (lead, cadmium, mercury & hexavalent chromium)
- flame retardants [polybrominated biphenyls (PBBs), polybrominated diphenyl ethers (PBDEs)]
- phthalates [Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP)]

in this product do not exceed 0.1% by weight; and 0.01% by weight for cadmium.

Traces levels of these substances may be present resulting from the specific characteristics of the raw materials and/or of the manufacturing process.

## SAFETY OF TOYS

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

Directive 2009/48/EC of 18 June 2009 on the safety of toys, as amended up to Commission directive (EU) 2019/1922 of 19 November 2019, includes safety requirements the toys need to comply with in order to be placed on the market. As for compliance of the above product with the requirements set out in Annex II "Particular Safety requirements" - Paragraph III - of the Directive, the following can be declared:

- This polymer is a preparation that is not classified according to the criteria set out in Annex I of Regulation 1272/2008.
- Allergenic fragrances, as listed in Annex II.III.11 are not intentionally used in this polymer.
- Nitrosamines and nitrosable substances are not intentionally used in this polymer.
- The following metallic elements are not intentionally used in this polymer. Although this product is not routinely tested for their presence, based on product composition knowledge these metallic elements are not expected to be present.

Antimony, Arsenic, Barium, Boron, Cadmium, Chromium (III), Chromium (VI), Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin, Organic tin, Zinc

This product contains Aluminum compounds.

As regards the European Norm EN 71-9:2005+A1:2007 ("Safety of Toys - Part 9: Organic Chemical Compounds - Requirements"), the requirements established by the European Commission for the substances listed in the following "Limit tables" address the risks presented by organic compounds in polymeric toy materials used in toys and toy components:

- Table 2B - Colourants
- Table 2C - Primary aromatic amines
- Table 2D - Monomers (migration) (See note 1)
- Table 2E - Solvents (migration)
- Table 2F - Solvents (inhalation)
- Table 2H - Preservatives (other than wood preservatives) (See note 1)
- Table 2I - Plasticizers (migration)

Although these substances are not intentionally used by ExxonMobil in this product, nor is this product routinely tested for their presence, there is some indication that trace levels of Hexane and Toluene may be present as a result of the specific characteristics of the raw materials

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

and/or of the manufacturing process.

Note 1: Degradation products ("fumes"), potentially including formaldehyde can be formed during high temperature processing of the above polymer.

Note 2: It remains the specific responsibility of the user of this polymer product to check and assure that the finished toys, made from or containing this polymer product as a component, do not present health hazards or risks of physical injury by ingestion, inhalation or contact with the skin, mucous tissues or eyes. Such hazards or risks may arise for various reasons, for instance : addition of other substances (colorants, masterbatches, waxes, mould release agents, etc.) decomposition during conversion at high temperatures, hypersensitivity during the intended conditions of use of the toys to any of the components or substances present in the finished article.

Note 3: The document EN 71-9 gives requirements for organic compounds in certain toys and toy materials. The EN 71-9 document should be read in conjunction with part EN 71-10, which describes sample preparation and extraction procedures, and part EN 71-11 which specifies methods of analysis.

## **TSCA 12B STATUS**

With regard to the compliance status of the product referenced above with the regulation(s) identified below the following can be declared:

This product does not contain any substances on the TSCA Section 12(b) export notification list above de minimus levels.

## **VOLATILE ORGANIC CPDS-VOC -USA**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

This polymer is not a Volatile Organic Compound (VOC) as defined by the U.S. Environmental Protection Agency (U.S. EPA). However, it may contain some residual compounds such as monomer and solvent residues; the concentration of these compounds is typically below 0.1 weight %.

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

## Category: Presence / Absence

### ATRAZINE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Atrazine (CAS no. 1912-24-9) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

### BHT-BUTYLATED HYDROXY TOLUENE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

BHT (Butylated Hydroxy Toluene) (CAS no. 128-37-0) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

### BISPHENOLS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Bisphenols: A (CAS 80-05-7) AP (CAS 1571-75-1) AF (CAS 1478-61-1) B (CAS 77-40-7) C (CAS 79-97-0) E (CAS 2081-08-5) F (CAS 1333-16-0) M (CAS 13595-25-0) S (CAS 80-09-1)

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

### BLOWING AGENTS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The following blowing agents (azodicarbonamide CAS no. 123-77-3), hydrazine derivatives, carbazoles and nitroso compounds, sodium borohydride (CAS no. 16940-66-2), CFCs, HCFCs) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

### BROMINE / BROMINE COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Bromine and/or brominated compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Examples of brominated substances include, but are not limited to:

Polybrominated biphenyls (PBB), polybrominated diphenylethers, polybrominated terphenyls (PBTS), Bromobenzene, Bromochlorodifluoromethane, Bromotoluene, Bromotrifluoromethane.

### CHLORINE/CHLORINATED COMPOUNDS

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

This product contains trace levels of chlorine and/or chlorinated compounds. These are residues of processing aids used for the manufacturing of this product.

The chlorinated compounds listed below, are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Chlorinated Paraffins, Dichlorobenzene, Dichlorodifluoromethane, Dichlorotetrafluoroethane, Dichlorodiphenyltrichloroethane (DDT), Dieldrin, Dioxin, Hexachlorobenzene, Hexachlorobutadiene Methylene chloride, Octachlorostyrene, Pentachlorophenol, Chlorophenol, Polychlorinated Biphenyls-PCBs, Polychlorinated Diphenylethers, Polychlorinated Naphthalenes, Polychlorinated Terphenyls, Tetrachlorobenzene, Tetrachloroethylene, Trichlorobenzene, Trichloroethylene, Trichloromethane, Vinyl chloride, Polyvinyl chloride (PVC), Polyvinyl Dichloride (PVDC), Triclosan

## **COBALT / COBALT COMPOUNDS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Cobalt (CAS no. 7440-48-4) and/or its compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **COLORANTS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Colorants (and dyes), including organic types, mineral types, titanium based, chromium based, lead based, cadmium based, cobalt based, nickel based, aluminum based, diazo types, anthraquinone types, monoazo types, and carbon black types, are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **ELEMENTAL IMPURITIES**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The following (heavy) metals/ transition metals / metalloids and/or their compounds

- Gold CAS no. 7440-57-5
- Iridium CAS no. 7439-88-5
- Osmium CAS no. 7440-04-2
- Palladium CAS no. 7440-05-3
- Platinum CAS no. 7440-06-4
- Rhodium CAS no. 7440-16-6
- Ruthenium CAS no. 7440-18-8
- Thallium CAS no. 7440-28-0
- Lithium CAS no. 7439-93-2
- Molybdenum CAS no. 7439-98-7
- Chromium CAS no. 7440-47-3

are not intentionally used by ExxonMobil in this product.

Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **FLAME RETARDANTS**

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The flame retardants

- Minerals such as aluminium hydroxide, magnesium hydroxide, hydromagnesite and borates salts
- Organohalogen compounds including organochlorines such as, chlorendic acid derivatives and chlorinated paraffins; organobromines such as polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDEs) and tetrabromobisphenol (TBBP-A) and hexabromocyclododecane (HBCD or HBCDD).
- Antimony trioxide
- Organophosphorus compounds such as organophosphates, tris(2,3-dibromopropyl) phosphate, TPP, RDP, BPADP, tri-o-cresyl phosphate, phosphonates such as DMMP and phosphinates. Chlorophosphates like TMCP - Tris(2-chloroisopropyl) phosphate-, and TDCP -Tris(1,3- dichloroisopropyl) phosphate

are not intentionally used by ExxonMobil in this product.

Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## FORMALDEHYDE

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Formaldehyde (CAS no. 50-00-0) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

Degradation products ("fumes"), potentially including formaldehyde, can be formed during high temperature processing of this product.

## HEXAVALENT CHROMIUM COMPOUNDS

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Hexavalent chromium compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## ISOPROPYLTHIOXAN-THONE (ITX)

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Isopropylthioxan-thone (ITX) is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## LATEX / NATURAL RUBBER

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Latex / Natural rubber is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## MELAMINE

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Melamine and/or cyanuric acid are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **METALS / METALLOIDS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

The following (heavy) metals/ transition metals / metalloids and/or their compounds

Antimony / Antimony compounds Arsenic / Arsenic compounds Barium / Barium compounds Beryllium / Beryllium compounds Bismuth / Bismuth compounds Copper / Copper compounds Cadmium / Cadmium compounds Manganese / Manganese compounds Mercury / Mercury compounds Lead / lead compounds Selenium / selenium compounds Silver / silver compounds

are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **MICA**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

MICA (CAS no. 12001-26-2) is not intentionally used by ExxonMobil in this product.

Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in these products does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **NICKEL / NICKEL COMPOUNDS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Nickel and its compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **NITROSAMINES**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Nitrosamines are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **NONYLPHENOL & ...ETHOXYLATES**

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Nonylphenol, nonylphenoethoxylates, 4-octylphenol and octylphenoethoxylates are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **PFOS & PFOA**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Perfluorooctane sulfonate (PFOS) & Perfluorooctanoic acid (PFOA) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **PHTHALATES/ADIPATES**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

This product contains trace levels of phthalates. These are residues of the catalyst system used for manufacturing of the product.

## **RADIOACTIVE SUBSTANCES**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Radioactive substances are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **TIN / ORGANOTIN COMPOUNDS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above:

Tin and/or its compounds (including organotin compounds) are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **TNPP**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Tris(nonylphenol)phosphite (TNPP) CAS no. 26523-78-4 is not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for its presence, based on product composition knowledge this substance is not expected to be present. However, the fact that this substance is not intentionally used by ExxonMobil in this product does not exclude that trace levels of this substance may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

## **VANADIUM / VANADIUM COMPOUNDS**

We are pleased to provide the following information concerning the absence or presence of certain substances in the product referenced above.

Vanadium and/or its compounds are not intentionally used by ExxonMobil in this product. Although this product is not routinely tested for their presence, based on product composition knowledge these substances are not expected to be present. However, the fact that these substances are not intentionally used by ExxonMobil in this product does not exclude that trace levels of these substances may be present as a result of the specific characteristics of the raw materials and/or of the manufacturing process.

**Product Name: ExxonMobil™ PP7505KNE3**

**Manufacturing Region: AMERICAS**

---

**This document is valid for one year or until the next relevant legislative and or regulatory change with a maximum of one year as of the issue date.**